

Clark, Nadine

From: David Kerven [Kerven@addipvalue.com]
Sent: Friday, December 23, 2005 8:30 AM
To: Clark, Nadine
Subject: RE: Replacement drawings

RECEIVED

DEC 23 2005

OFFICE OF THE ASSISTANT
DIRECTOR'S OFFICE



Formal
Drawings.pdf

Ms. Clark,

Thank you for your attention to this matter. Attached please find copies of the formal drawings.

Please do not hesitate to contact me should you need additional information.

Best regards and happy holidays!

David S. Kerven, Ph.D.
Weatherly Kerven LLC

770-395-5923 (direct)
770-395-5921 (fax)
kerven@addipvalue.com

NOTICE: This e-mail message and all attachments transmitted with it may contain legally privileged and confidential information that the sender intends for the addressee solely to receive and use. If you are not the addressee, you cannot read, disseminate, distribute, copy, or otherwise use this message or its attachments. If you have received this message in error, please (1) notify the sender immediately by telephone 770-395-5920 or by electronic mail and (2) destroy all paper, electronic, and other forms of this message. Thank you.

-----Original Message-----

From: Clark, Nadine [mailto:Nadine.Clark@USPTO.GOV]
Sent: Thursday, December 22, 2005 4:34 PM
To: David Kerven
Subject: Replacement drawings

Hello,

Mr. Kerven, the drawings submitted 05/26/00 for serial number 09/579,961 your application number 13890060003 are not printable. Woul you please e-mail to me a printable set

.Nadine Clark

Quality Control Specialist

(703) 308-9250 Ext.144

DATE RECD

DEC 23 2005

OFFICE OF INFORMATION TECHNOLOGY
DIRECTOR'S OFFICE

1/5




Fig. 1
PRIOR ART

FIG. 2

FIG. 2




Fig. 2




Fig. 3




Fig. 4






Fig. 5

*Fig. 6**Fig. 7*